## **Author Index**

Abadía, J., see Abián, J. 215

Abián, J.

-, Susín, S., Abadía, J. and Gelpí, E.

Thermospray and electrospray mass spectrometry of flavocoenzymes. Analysis of riboflavin sulphates from sugar beet 215

Adeloju, S.B.

- and Young, T.M.

Anodic stripping potentiometric determination of antimony in environmental materials 225

Ahlgrén, M., see Peräniemi, S. 89

Alder, J.F., see Benmakroha, F. 255

Alexandre, I., see Moris, P. 53

Asuero, A.G., see Ràfols, C. 355

Avidad, R., see Capitán-Vallvey, L.F. 193

Badaoui, F.Z.

- and Bourson, J.

Chromoionophores derived from a coumarin linked to monoaza- and diaza-crown ethers: formation of divalent 3d metal complexes 341

Benmakroha, F.

- and Alder, J.F.

Development of humidity correction algorithm for surface acoustic wave sensors. Part 2. Mathematical model for water and nitrobenzene co-adsorption on aminopropyltriethoxysilane coated surface acoustic wave sensors 255

Bernard, C., see Town, R.M. 1

Bosch, E

-, Ràfols, C. and Rosés, M.

Variation of acidity constants and pH values of some organic acids in water-2-propanol mixtures with solvent composition. Effect of preferential solvation 109

Bosch, E., see Ràfols, C. 355

Bosch-Reig, F., see Campins-Falcó, P. 323

Bourson, J., see Badaoui, F.Z. 341

Bowlin, D.W., see Johll, M. 133

Brandes, L., see Jürgens, H. 289

Buffle, J., see Town, R.M. 1

Bujard, F., see Town, R.M. 1

Campins-Falcó, P.

—, Verdú-Andrés, J., Bosch-Reig, F. and Molíns-Legua, C. Generalized H-point standard additions method for analyte determinations in unknown samples 323 Capitán-Vallvey, L.F.

—, Del Olmo, M., Avidad, R., Navalón, A., De Orbe, I. and Vilchez, J.L.

Close overlapping discrimination of polycyclic aromatic hydrocarbons by synchronous scanning at variable-angle solidphase spectrofluorimetry 193

Cerdà, V., see Cladera, A. 297

Chen, H.-P., see Xu, J.-G. 207

Chen, Z.-S., see Hiraide, M. 103

Chiang, D.W.L., see Hauser, P.C. 241

Chichila, T.M.P., see Jayatilaka, A. 147

Cladera, A.

—, Tomàs, C., Gómez, E., Estela, J.M. and Cerdà, V. A new instrumental implementation of sequential injection analysis 297

Compañó, R.

-, Granados, M., Leal, C. and Prat, M.D.

Determination of triphenyltin in sea water samples by liquid chromatography with fluorimetric detection 185

Correia dos Santos, M.M., see Lopes da Conceição, A.C. 97 Cosano, J.S.

-, Luque de Castro, M.D. and Valcárcel, M.

Automatic continuous-flow determination of sulphite in the presence of a high concentration of thiosulphate 269

Crouch, S.R., see Hsieh, Y.-S. 132

Davis, J.M., see Johll, M. 133

Del Olmo, M., see Capitán-Vallvey, L.F. 193

De Orbe, I., see Capitán-Vallvey, L.F. 193

Drummond, L.

- and Maher, W.

Determination of phosphorus in aqueous solution via formation of the phosphoantimonylmolybdenum blue complex. Reexamination of optimum conditions for the analysis of phosphate 69

Ephraim, J.H., see Marinsky, J.A. 309

Espinosa-Mansilla, A., see Guiberteau Cabanillas, A. 9

Estela, J.M., see Cladera, A. 297

Fujiwara, T., see Sakai, H. 173

Fukushima, M.

—, Tanaka, S., Hasebe, K., Taga, M. and Nakamura, H. Interpretation of the acid-base equilibrium of humic acid by a continuous pK distribution and electrostatic model 365

Gaikwad, A.

-, Silva, M. and Pérez-Bendito, D.

Selective stopped-flow determination of manganese with luminol in the absence of hydrogen peroxide 275

Galeano Diaz, T., see Guiberteau Cabanillas, A. 9

Gao. D.

-, Gu, J., Yu, R.-Q. and Zheng, G.-D.

Substituted metalloporphyrin derivatives as anion carrier for PVC membrane electrodes 263

García Alvarez-Coque, M.C., see Torres Cartas, S. 163

Gelpí, E., see Abián, J. 215

Gokan, A., see Hasebe, Y. 21

Gómez, E., see Cladera, A. 297

Gorodkiewicz, E., see Kojło, A. 283

Gorton, L., see Smolander, M. 233

Granados, M., see Compañó, R. 185

Gu, J., see Gao, D. 263

Guiberteau Cabanillas, A.

—, Galeano Diaz, T., Espinosa-Mansilla, A., López-de-Alba, P.L. and Salinas Lopez, F.

Abilities of differentiation and partial least squares methods in the analysis by differential pulse polarography. Simultaneous determination of furazolidone and furaltadone 9

Guo, X.-Q., see Xu, J.-G. 207

Hasebe, K., see Fukushima, M. 365

Hasebe, Y.

-, Gokan, A. and Uchiyama, S.

Chemically amplified xanthine and hypoxanthine sensors based on substrate recycling between the enzyme-substrate complex and substrate 21

Hauser, P.C.

-, Chiang, D.W.L. and Wright, G.A.

A potassium-ion selective electrode with valinomycin based poly(vinyl chloride) membrane and a poly(vinyl ferrocene) solid contact 241

Hiraide, M.

-, Chen, Z.-S., Sugimoto, K. and Kawaguchi, H.

Coprecipitation with tin(IV) hydroxide followed by removal of tin carrier for the determination of trace heavy metals by graphite-furnace atomic absorption spectrometry 103

Horike, N., see Ishida, J. 61

Hsich, Y.-S.

- and Crouch, S.R.

Corrigendum to "Two-rate method for simultaneous determinetion of L-amino acid mixtures" [Anal. Chim. Acta, 296 (1994) 333-341] 132

Iinuma, F., see Mawatari, K.-i. 179

Imasaka, T., see Noda, H. 335

Ishida, J.

-, Horike, N. and Yamaguchi, M.

6-Isothiocyanatobenzo[g]phthalazine-1,4(2H,3H)-dione as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 61

Jayatilaka, A.

-, Poole, S.K., Poole, C.F. and Chichila, T.M.P.

Simultaneous micro steam distillation/solvent extraction for the isolation of semivolatile flavor compounds from cinnamon and their separation by series coupled-column gas chromatography 147

Johll, M.

-, Bowlin, D.W. and Davis, J.M.

Verification of the extended statistical model of overlap: application to gas chromatograms containing variable peak densities 133

Johnson, P., see Koziet, J. 29

Joppien, R., see Jürgens, H. 289

Jürgens, H.

-, Brandes, L., Joppien, R., Siebold, M., Schubert, J., Wu,

X., Kretzmer, G. and Schügerl, K.

Development of enzyme cartridge flow-injection analysis for industrial process monitoring. Part II. Application for monitoring of microorganism cultivations 289

Karube, I., see Lee, T.-y. 81

Kawaguchi, H., see Hiraide, M. 103

Kojło, A.

- and Gorodkiewicz, E.

Simultaneous spectrophotometric determination of nitrite and nitrate in a flow-injection system 283

Koziet, J.

-, Rossmann, A., Martin, G.J. and Johnson, P.

Determination of the oxygen-18 and deuterium content of fruit and vegetable juice water. An European inter-laboratory comparison study 29

Kretzmer, G., see Jürgens, H. 289

Kubista, M.

-, Sjöback, R. and Nygren, J.

Quantitative spectral analysis of multicomponent equilibria

Kumamaru, T., see Sakai, H. 173

Lau, O.-W.

- and Mok, C.-S.

Indirect conductometric detection of amino acids after liquid chromatographic separation. Part II. determination of monosodium glutamate in foods 45

Leal, C., see Compañó, R. 185

Lee, T.-y.

—, Tsuzuki, M., Takeuchi, T., Yokoyama, K. and Karube, I. Quantitative determination of cyanobacteria in mixed phytoplankton assemblages by an in vivo fluorimetric method 81 Lopes da Conceição, A.C.

—, Simões Gonçalves, M.L.S. and Correia dos Santos, M.M. Rapid determinations of complexing stability constants by gradient flow-injection titration 97

López-de-Alba, P.L., see Guiberteau Cabanillas, A. 9 Luque de Castro, M.D., see Cosano, J.S. 269

Maher, W., see Drummond, L. 69

Marinsky, J.A.

Reddy, M.M., Ephraim, J.H. and Mathuthu, A.S.
Computational scheme for the prediction of metal ion binding by a soil fulvic acid 309

Marko-Varga, G., see Smolander, M. 233

Martin, G.J., see Koziet, J. 29

Mathuthu, A.S., see Marinsky, J.A. 309

Mawatari, K.-i.

-, Oshida, K., Iinuma, F. and Watanabe, M.

Determination of quinolinic acid in human urine by liquid chromatography with fluorimetric detection 179

Mok, C.-S., see Lau, O.-W. 45

Molins-Legua, C., see Campins-Falcó, P. 323

Moris, P.

-, Alexandre, I., Roger, M. and Remacle, J.

Chemiluminescence assays of organophosphorus and carbamate pesticides 53

Nagashima, K., see Nakano, N. 201

Nakamura, H., see Fukushima, M. 365

Nakamura, K., see Noda, H. 335

Nakano, N.

-, Sugata, K. and Nagashima, K.

Development of a monitoring tape for ammonia gas in air by fluorescence detection 201

Navalón, A., see Capitán-Vallvey, L.F. 193

Noda, H.

-, Nakamura, K., Takada, M. and Imasaka, T.

Supersonic jet absorption spectrometry utilizing a xenon flashlamp and a monochromator equipped with a photodiode array 335

Nygren, J., see Kubista, M. 121

Oshida, K., see Mawatari, K.-i. 179

Parthasarathy, N., see Town, R.M. 1

Peräniemi, S

- and Ahlgrén, M.

Optimized arsenic, selenium and mercury determinations in aqueous solutions by energy dispersive x-ray fluorescence after preconcentration onto zirconium-loaded activated charcoal 89

Pérez-Bendito, D., see Gaikwad, A. 275

Poole, C.F., see Jayatilaka, A. 147

Poole, S.K., see Jayatilaka, A. 147

Prat, M.D., see Compañó, R. 185

Praus, P.

Possibilities of simple steam distillation in combination with capillary isotachophoresis for the determination of chlorophenols in river and industrial waste waters 39

Ràfols, C.

-, Bosch, E., Rosés, M. and Asuero, A.G.

Autoprotolysis in aqueous organic solvent mixtures. Wateramide and water-amine binary systems 355

Ràfols, C., see Bosch, E. 109

Reddy, M.M., see Marinsky, J.A. 309

Remacle, J., see Moris, P. 53

Rodak, S., see Town, R.M. 1

Roger, M., see Moris, P. 53

Rosés, M., see Bosch, E. 109

Rosés, M., see Ràfols, C. 355

Rossmann, A., see Koziet, J. 29

Sadik, O.A.

- and Wallace, G.G.

Corrigendum to "Pulsed amperometric detection of proteins using antibody containing conducting polymers" [Anal. Chim. Acta, 279 (1993) 209–212] 131

Sakai, H.

-, Fujiwara, T. and Kumamaru, T.

Sensitivity enhancement in the determination of silicate by ion-exclusion chromatography using luminol chemiluminescence detection 173

Salinas Lopez, F., see Guiberteau Cabanillas, A. 9

Schubert, J., see Jürgens, H. 289

Schügerl, K., see Jürgens, H. 289

Siebold, M., see Jürgens, H. 289

Silva, M., see Gaikwad, A. 275

Simões Gonçalves, M.L.S., see Lopes da Conceição, A.C. 97

Sjöback, R., see Kubista, M. 121

Smolander, M.

-, Marko-Varga, G. and Gorton, L.

Aldose dehydrogenase-modified carbon paste electrodes as amperometric aldose sensors 233

Sugata, K., see Nakano, N. 201

Sugimoto, K., see Hiraide, M. 103

Susin, S., see Abián, J. 215

Taga, M., see Fukushima, M. 365

Takada, M., see Noda, H. 335

Takeuchi, T., see Lee, T.-y. 81

Tanaka, S., see Fukushima, M. 365

Tercier, M.-L., see Town, R.M. 1

Tomàs, C., see Cladera, A. 297

Torres Cartas, S.

---, García Alvarez-Coque, M.C. and Villanueva Camañas, R.M.

Determination of anabolic steroids in pharmaceuticals by liquid chromatography with a microemulsion of sodium dodecyl sulfate and pentanol as mobile phase 163

Town, R.M.

—, Tercier, M.-L., Parthasarathy, N., Bujard, F., Rodak, S., Bernard, C. and Buffle, J.

A versatile macro- to micro-size stationary mercury drop electrode 1

Tsuzuki, M., see Lee, T.-y. 81

Uchiyama, S., see Hasebe, Y. 21

Valcárcel, M., see Cosano, J.S. 269

Verdú-Andrés, J., see Campins-Falcó, P. 323

Vilchez, J.L., see Capitán-Vallvey, L.F. 193

Villanueva Camañas, R.M., see Torres Cartas, S. 163

Wallace, G.G., see Sadik, O.A. 131

Watanabe, M., see Mawatari, K.-i. 179

Weigl, B.H.

- and Wolfbeis, O.S.

New hydrophobic materials for optical carbon dioxide sensors based on ion pairing 249

Wolfbeis, O.S., see Weigl, B.H. 249

Wright, G.A., see Hauser, P.C. 241

Wu, X., see Jürgens, H. 289

Xu, J.-G.

-, Chen, H.-P., Guo, X.-Q. and Zhao, Y.-B.

Determination of reserpine by in situ sensitized photochemical spectrofluorimetry 207

Yamaguchi, M., see Ishida, J. 61

Yamamoto, K.

Sensitive determination of quaternary ammonium salts by extraction-spectrophotometry of ion associates with bromophenol blue anion and coextraction 75

Yokoyama, K., see Lee, T.-y. 81

Young, T.M., see Adeloju, S.B. 225

Yu, R.-Q., see Gao, D. 263

Zhao, Y.-B., see Xu, J.-G. 207

Zheng, G.-D., see Gao, D. 263

